Surname	Centre Number	Candidate Number
Other Names		0

GCSE



3400U20-1

BIOLOGY – Unit 2: Variation, Homeostasis and Micro-organisms

FOUNDATION TIER

TUESDAY, 14 MAY 2019 - AFTERNOON

1 hour 45 minutes

For Examiner's use only				
Question	Maximum Mark	Mark Awarded		
1.	10			
2.	16			
3.	9			
4.	13			
5.	12			
6.	10			
7.	10			
Total	80			

ADDITIONAL MATERIALS

In addition to this paper you may require a calculator and a ruler.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen. Do not use gel pen. Do not use correction fluid.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer all questions.

Write your answers in the spaces provided in this booklet. If you run out of space, use the additional page at the back of the booklet, taking care to number the question(s) correctly.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question.

Question 3(b) is a quality of extended response (QER) question where your writing skills will be assessed.



 Read the information about obesity. Fact file on Obesity In 2015, one in five adults and many children in the UK showed signs of being overweight or obese. Obesity makes it more likely that a person will develop medical conditions such as arthritis and type 2 diabetes as well as life-threatening diseases such as heart disease
 In 2015, one in five adults and many children in the UK showed signs of being overweight or obese. Obesity makes it more likely that a person will develop medical conditions such as
or obese.Obesity makes it more likely that a person will develop medical conditions such as
and cancer.
• There are more obese men than obese women but high blood pressure and type 2 diabetes are four times more common in obese women than in obese men.
• A diet low in saturated fat combined with regular exercise can be an effective way to reduce or avoid obesity.
 (a) (i) Use the information to complete the table. Write 'true' or 'false' for each statement.
Statement True or False
In 2015, 20% of the population of the UK was obese.
Obesity increases the risk of serious diseases.

A healthy lifestyle will reduce obesity.

(ii) Complete the following sentence by selecting your answer from the words below.

nerves blood bile

Obese women are more likely than obese men to have cells in their bodies which do not respond to insulin.


Hormones such as insulin are chemical messengers carried in the



(b) In 2010 a drug, Sibutramine, was developed to help treat obesity.

Ten patients in a hospital tested the drug for a month and doctors observed that it resulted in considerable weight loss.

Medical researchers then carried out a double-blind clinical trial, where 600 patients took the drug for two years. Patients in group **A** received Sibutramine tablets and patients in group **B** received a placebo.




Sibutramine tablets

State two differences between the trial carried out by the medical researchers and the test carried out in the hospital. [2]
State the meaning of the term <i>placebo</i> . [1]
Explain why a placebo is necessary in trials of new drugs. [1]



Examiner only

			4	
				Examiner only
	(iv)	Choo	ose the letter (A-D), which gives the meaning of the term double-blind trial. [1]	
		Α	Only the doctor knows whether the patient is in group A or group B	
		В	The doctor and the patient both know whether the patient is in group A or group B.	
		С	Neither the doctor nor the patient know whether the patient is in group A or group B.	
		D	Patients can choose whether they wish to be in group A or group B.	
			Answer	
(c)	labor	atorie	v medicines are tested on human patients they are usually tested on animals in s. It is now possible to test some medicines using computer programs which the human body or use tissue cultures from human cells in Petri dishes.	
			advantage of using computer programs or tissue cultures rather than animals medicines. [1]	
				10
				1
04			© WJEC CBAC Ltd. (3400U20-1)	



The results of the investigation are shown in the table and graph below. Number of bacterial colonies observed Time of storage Storage temperature Storage temperature Storage temperature (hours) 10°Ċ 25 °Ċ 35°Ċ 0 0 0 Start 0 2 5 9 10 20 5 14 28 7 25 19 39 30 10 50 26 35 13 32 57 Complete the graph by: (b) (i) [4] Ι. adding the scale and label for time; plotting the results for 35°C; Π. joining your plots with a ruler and labelling your line. III. 80 60 Number of bacterial colonies 40 Storage observed temperature 25°C Storage 20 temperature 10°C 0

6

Examiner only




7

(ii)		cribe how the number of bacterial colonies changes over time and how this is ted by storage temperature. [2]	
(iii)	 I.	Use the graph to estimate the difference in the number of colonies of bacteria between: 10 °C and 25 °C at 15 hours. [2]	
	Ш.	Number of colonies In the investigation, 50 colonies were found to have grown on the agar in a Petri dish. State how many bacteria would have been present in the sample of milk. Circle your answer. [1]	
		5 15 50 500	



3400U201 07

(c) Food hygiene inspectors visited a restaurant in South Wales in the summer of 2010. They reported problems. The diagrams show some of their observations.






© WJEC CBAC Ltd.

16

Examiner only




	10	
(b)	After playing rugby in warm conditions Steve undergoes a session in a cryotherapy chamber. This is a small room where the temperature is very low.	Examiner only
	Describe and explain the changes that would occur in his skin in the cold conditions of the cryotherapy chamber. [6 QER]	
		9



Examiner only

4. Whooping Cough is a disease caused by the bacterium *Bordetella pertussis* and it can be very serious or even fatal in young children and babies. In the UK, since 1950, young children and babies have been protected from Whooping Cough by vaccination and this reached the target of 95% of children by 1970. By this time there were very few cases.



Bordetella pertussis

In 1974, a medical journal published a report stating that the vaccine had damaged the nervous system in some children. Newspapers spread alarming information to parents throughout the UK and the percentage of children vaccinated fell to 30%.

"Whooping Cough vaccine can cause brain damage and death!"

In 1978, the number of cases of Whooping Cough had risen to 2000 and by 2012 it was 7730. The antibiotic drugs used to treat Whooping Cough were becoming ineffective.

The negative media reports were discredited and by 2017 the percentage of young children vaccinated in the UK had gone back up to 73%. The target remains at 95%.

Use the information to answer the questions.

© WJEC CBAC Ltd.

(a) (i) State the scientific name of the micro-organism which causes Whooping Cough. [1]

(ii) Complete the sentence, by choosing words from the list:

(3400U20-1)

antibodies	antigens	lymphocytes	phagocytes
Micro-organisms wh	ich cause infections	carry	······································
The	in the b	loodstream then produce	e large numbers of
	which can de	estroy the infecting micro	o-organisms.



[2]

(b)	Choo	ose the correct answer to complete the sentence. [1]
		percentage of children vaccinated against Whooping Cough decreased after 1974 use of newspaper articles which said
		A The vaccine had become less effective.
		B The vaccine had serious side effects.
		C The disease had become less serious.
		D Cases of the disease were reducing.
		Answer
(C)	(i)	Calculate the percentage increase in cases of Whooping Cough between 1978 and 2012. [2]
		Use the formula:
		number of cases in 2012 – number of cases in 1978 \times 100 number of cases in 1978
		Percentage increase =
	(ii)	State the evidence that the increase in the number of cases of Whooping Cough was linked to a reduction in the percentage of children being vaccinated. [2]
	•••••	
	•••••	

(d)	(i)	By 2017, the number of cases of Whooping Cough had reduced. The NHS continued to encourage the vaccination of young children and pregnant women.
		Use the information on page 11 to give two reasons why it was necessary to continue to encourage these vaccinations. [2]
	••••••	
	••••••	
	.	
	(ii)	In some countries the vaccination of children is compulsory. Suggest why some people object to compulsory vaccination. [1]
	.	
(e)		following six sentences explain why antibiotics became ineffective for treating poping Cough, but they are not in the correct order.
	1	Many doctors over-used the antibiotics.
	2	The resistant bacteria multiplied rapidly.
	3	The antibiotics could no longer be used to kill the bacteria.
	4	Almost all the bacteria became resistant to the antibiotics.
	5	Doctors discovered antibiotics which killed Whooping Cough bacteria.
	6	Some bacteria survived because they were resistant to the antibiotics.
		nplete the list below to put the six sentences in the correct order by writing the sing numbers on the dotted lines. [2]
		5
		6
		4



13

Examiner only Himalayan balsam (Impatiens glandulifera) is a non-native, invasive species found in the UK. 5. Himalayan balsam grows rapidly, out-competing many local species. Himalayan balsam in flower In laboratory trials, scientists found that a fungus could kill Himalayan balsam. Leaf of Himalayan balsam infected with fungus Scientists investigated the possibility of using fungus to reduce the growth of the invasive plant on a larger scale. State the term that describes the use of a living organism to reduce the growth of an (a) invasive species. [1]

14



Examiner only (b) The scientists marked out an area, 16 metres \times 16 metres, on which many Himalayan balsam plants were growing and were evenly distributed. They then applied the fungus to half of the section (part A). They did not apply any treatment to the other half (part B). Plan of field trial 16 metres Part A Part B treated with no fungus fungus 16 metres After six weeks, the scientists estimated the total number of Himalayan balsam plants by quadrat sampling in parts A and B. (i) State why it was important that the quadrats were placed at random. [1] Describe a sampling technique they would carry out, using 1 m² quadrats. (ii) [3]



© WJEC CBAC Ltd.

For part **A**, the total number of Himalayan balsam plants found in 12 quadrats was 36.

Examiner only

[1]

 m^2


[1]

..... plants

(i) the mean number of plants per 1 m^2 quadrat in part **A**. [1]

(*d*) The scientists carried out their investigation a further 5 times to be confident that their results were repeatable. The mean results of all their investigations are shown in the bar

the estimated total number of plants in part A.





(C)

Calculate

(ii)

Ι.

Π.

the area of part A.

© WJEC CBAC Ltd.

Examiner State the conclusion that could be drawn from these results. (i) [1] (ii) State how the scientists could test that the results were reproducible. [1] The scientists went on to investigate the effects of the fungus on many native plant (e) (i) species. State why this was necessary. [1] State how biodiversity would be affected if the Himalayan balsam plants were not (ii) controlled. [1]

17




only

BLANK PAGE

18

PLEASE DO NOT WRITE ON THIS PAGE





	Parent	Male P		
			Gametes	
				emale arent
al factors.	y genes as well as by environme by age 18 and males by 25.	s controlled by many ach their full height b	Height in humans is Females usually re	(b)
	ale and female airline cabin cre height and between 18 and 45 y			
irs of age.		.58 m and 1.90 m in I	must be between 1	
ars of age. les. at random and	height and between 18 and 45 y ne males to be taller than the fen seven males and seven female ey gave their heights in feet an	.58 m and 1.90 m in l hat they expected th ir data by selecting	must be between 1 The students said t They collected the asking them to sta	
ars of age. les. at random and inches and the	height and between 18 and 45 y ne males to be taller than the fen seven males and seven female ey gave their heights in feet an	.58 m and 1.90 m in I hat they expected th ir data by selecting te their heights. The the data into metres	must be between 1 The students said t They collected the asking them to sta students converted	
ars of age. les. at random and inches and the	height and between 18 and 45 y ne males to be taller than the fen seven males and seven female ey gave their heights in feet and s.	.58 m and 1.90 m in I hat they expected th ir data by selecting te their heights. The the data into metres	must be between 1 The students said t They collected the asking them to sta students converted The results, expres	
ars of age. les. at random and inches and the	height and between 18 and 45 y ne males to be taller than the fen seven males and seven female ey gave their heights in feet and s. places, are shown in the table be	.58 m and 1.90 m in I hat they expected th ir data by selecting te their heights. The the data into metres sed to two decimal p	must be between 1 The students said t They collected the asking them to sta students converted The results, expres	
ars of age. les. at random and inches and the	height and between 18 and 45 y ne males to be taller than the fen seven males and seven female ey gave their heights in feet and s. places, are shown in the table be Heights of males (m)	.58 m and 1.90 m in I hat they expected th ir data by selecting te their heights. The the data into metres sed to two decimal p of females (m)	must be between 1 The students said t They collected the asking them to sta students converted The results, expres	
ars of age. les. at random and inches and the	height and between 18 and 45 y ne males to be taller than the fer seven males and seven female ey gave their heights in feet and s. places, are shown in the table be Heights of males (m) 1.84 1.80 1.72	.58 m and 1.90 m in I hat they expected th ir data by selecting te their heights. The the data into metres sed to two decimal p of females (m) 1.80 1.78 1.83	must be between 1 The students said t They collected the asking them to sta students converted The results, expres	
ars of age. les. at random and inches and the	height and between 18 and 45 y ne males to be taller than the fer seven males and seven female ey gave their heights in feet and s. places, are shown in the table be <u>Heights of males (m)</u> 1.84 1.80 1.72 1.70	.58 m and 1.90 m in I hat they expected th ir data by selecting te their heights. The the data into metres sed to two decimal p of females (m) 1.80 1.78 1.83 1.68	must be between 1 The students said t They collected the asking them to sta students converted The results, expres	
ars of age. les. at random and inches and the	height and between 18 and 45 y ne males to be taller than the fer seven males and seven female ey gave their heights in feet and s. places, are shown in the table be Heights of males (m) 1.84 1.80 1.72 1.70 1.61	.58 m and 1.90 m in I hat they expected th ir data by selecting te their heights. The the data into metres sed to two decimal p of females (m) 1.80 1.78 1.83 1.68 1.75	must be between 1 The students said t They collected the asking them to sta students converted The results, expres	
ars of age. les. at random and inches and the	height and between 18 and 45 y ne males to be taller than the fer seven males and seven female ey gave their heights in feet and s. places, are shown in the table be Heights of males (m) 1.84 1.80 1.72 1.70 1.61 1.81	.58 m and 1.90 m in I hat they expected th ir data by selecting te their heights. The the data into metres sed to two decimal p of females (m) 1.80 1.78 1.83 1.68 1.75 1.82	must be between 1 The students said t They collected the asking them to sta students converted The results, expres	
ars of age. les. at random and inches and the	height and between 18 and 45 y ne males to be taller than the fer seven males and seven female ey gave their heights in feet and s. places, are shown in the table be Heights of males (m) 1.84 1.80 1.72 1.70 1.61	.58 m and 1.90 m in I hat they expected th ir data by selecting te their heights. The the data into metres sed to two decimal p of females (m) 1.80 1.78 1.83 1.68 1.75	must be between 1 The students said t They collected the asking them to sta students converted The results, expres	



(i)	Complete the table by calculating the mean height for females. <i>Space for working.</i>	[2] Examine only
(ii)	I. State the hypothesis that the students were testing in their investigation.	[1]
	II. State whether the results of the investigation support their hypothesis, gi the reason for your answer.	ving [1]
	III. Give one way in which the strength of the evidence could be improved.	[1]
<i>(c)</i> State	one source of inaccuracy in the method.	[1]
		10
21	© WJEC CBAC Ltd. (3400U20-1) Turn o	ver.

21

Examiner 7. Cystic Fibrosis (CF) is a serious medical condition which affects the lungs. It results from a only mutation in the DNA of a single gene which gives rise to a recessive allele. Explain the meaning of the term recessive allele. [2] (a) The diagram below shows part of the family tree of a family which has one member who (b) has CF. Female without CF Kev 2 1 Female with CF Male without CF Male with CF 5 6 (from a family which DNA testing has shown does **not** have CF) (i) State the effect of a mutation on DNA. [1] (ii) From the family tree: State the numbers of two individuals who are known to be heterozygous for I. the allele which causes CF. [1] Suggest what advice a genetic counsellor would give individuals 5 and 6 11. about the chance of them having a child with CF. Explain your answer. [2]



© WJEC CBAC Ltd.

Examiner only CF is usually treated by intensive physiotherapy which can be very stressful. Medical (C) scientists are now working to develop an alternative treatment called *gene therapy*. This process is summarised in the flow chart below. DNA with dominant allele \bigcirc \bigcirc \bigcirc lipid molecules lipid capsule containing DNA Physiotherapy for CF Gene therapy for CF Lipid capsules are introduced into the lungs. State how this would be done. [1] (i) In order for this therapy to be successful two further difficulties must be overcome. (ii) Describe these two difficulties and suggest why this therapy is not a permanent cure. [3] 10 **END OF PAPER**



Turn over.

© WJEC CBAC Ltd.

Question number	Additional page, if required. Write the question number(s) in the left-hand margin.	Examiner only

